

### 1. Perceived Health




Figure 1. Self-rated health as excellent by gender and survey year




Figure 2. Self-rated health as excellent by age and survey year

Subjective health and medicine use among Scottish adolescents




Figure 2A. Self-rated health as excellent by age and gender




Figure 3. Self-rated health as excellent by family affluence and survey year

## 2. Somatic Health Complaints




Figure 4. The experience of somatic health complaints by gender (HBSC 2014 Survey)




Figure 5. The experience of somatic health complaints by age (HBSC 2014 Survey)

Subjective health and medicine use among Scottish adolescents




Figure 6. The experience of somatic complaints by gender and survey year




Figure 7. The experience of somatic complaints by age and survey year

Subjective health and medicine use among Scottish adolescents




Figure 7A. Experiencing two or more somatic complaints more than once in the past week by age, gender and survey year

Subjective health and medicine use among Scottish adolescents




Figure 8. The experience of somatic complaints by family affluence and survey year

Subjective health and medicine use among Scottish adolescents

3. Medicine use




Figure 9A. Medicine use by gender (HBSC 2014)




Figure 9. Medicine use by age (HBSC 2014)

Subjective health and medicine use among Scottish adolescents




Figure 40. Medicine use for headaches by gender and survey year




Figure 5. The percentage (%) experiencing headache who also used medicine for headache 1994-2014



BP23 Supplement

Subjective health and medicine use among Scottish adolescents

